

SCE Background



- One of the nation's largest electric utilities
- Nearly 14 million residents in service territory
- Approximately 5 million customer accounts
- 50,000 square-mile service area
- Over 125 years of experience
- Issues facing California
 - Energy Efficiency Goals
 - GHG reduction
 - Water Energy Nexus
 - Load management/ sustainability






CA Energy Efficiency Strategic Plan

January 2011 Update

Evolving Energy Efficiency Trends




Loading Order!

- Energy Efficiency
- Demand Response and permanent load shifting
- Renewable Resources
- Distributed Generation/energy storage




Existing Single Family Neighborhoods – Irvine, CA



The Duck Curve

CAISO Net Load --- 2012 through 2020



"Our goal is to foster and enable new technologies to modernize and green the electric grid. The entire ISO is committed to advancing the organization toward a sustainable energy future."...Steve Berberich, CEO, CAISO





For Operating Day: Wednesday, May 11, 2016

The Renewables Watch provides important information about actual renewable production within the ISO grid as California movestoward a 33 percent renewable generation portfolio. The information provided is as accurate as can be delivered in a daily format. It is unverified raw data and is not intended to be used as the basis for operational or financial decisions.

624,686


Renewables Production

24-Hour Renewables Production

Renewable Resources	Peak Production Time	Peak Production (MW)	Daily Production (MWh)
Solar Thermal	11:06	528	5,231
Solar	12:42	7,237	69,910
Wind	0:01	2,713	23,460
Small Hydro	20:05	551	10,560
Biogas	0:44	184	4,268
Biomass	12:02	198	4,557
Geothermal	5:56	1,007	23,744
Total Renewables	-		141,731

Total 24-Hour System Demand (MWh):

This table gives numeric values related to the production from the various types of renewable resources for the reporting day. All values are hourly average unless otherwise stated. Peak Production is an average over one minute. The total renewable production in megawatt-hours is compared to the total energy demand for the ISO system for the day.



Time of Day

This graph shows the production of various types of renewable generation across the day.


System Peak Demand (MW)
*one minute average

Time: 20:28

30,895

Optimized PV Distributed Generation






Energy storage allows at least 30 minutes notification of ramp up and ramp down.

solar thermal absorption cooling & heating, thermal storage

SOLAR THERMOSORBER SYSTEM for Searles Valley Minerals Medical Clinic





AB 802 Summary

Three Primary Areas

- 1. Expands the types and level of information the CEC can access
- 2. Requires the CPUC to authorize IOUs to provide "to code" incentives and count "to-code" savings
- 3. Replaces and expands the current "AB 1103 Benchmarking" program

CEC Information Access

- Utilities must provide individual historic billing data to the CEC
- CEC must maintain reasonable policies and procedures to protect customer information from unauthorized disclosure.

"To-Code" Savings

- Provide financial incentives (etc.) based on all estimated energy savings
- Consider normalized metered energy consumption as a measure of energy savings
- Shall include meeting or exceeding Title 24
- Also include savings from operational, behavioral, and retro-commissioning activities
- Count all energy saving in meeting the goals (unless determined otherwise)
- Effective Jan. 1, 2016, IOUs can count "to-code" savings for high opportunity projects or programs
- Separate CPUC proceeding to authorize IOUs "to-code" activities by Sept. 1, 2016
- Recoverable in rates



AB 802 Summary Continued

Building Energy Benchmarking

- Covered buildings
 - All nonresidential buildings (any building with no residential utility accounts); or,
 - All mixed-use or multifamily buildings with 5 or more active utility accounts (any building with five or more active utility accounts, residential or nonresidential)
- Disclosure
 - Beginning on Jan. 1, 2017, utilities provide <u>whole-building</u> energy usage data upon request to Portfolio Manager
 - 3 or more active utility accounts = aggregation
 - 2 active utility accounts = aggregation plus account holder's electronic or written authorization
 - 1 active utility account = CISR
 - Aggregation of energy usage data is on a monthly basis
- CEC regulations key In-scope provisions
 - Set a schedule for public disclosure
 - Determine who will deliver the energy usage data and related information to the commission
- Cost is recoverable in rates



SB 350 Summary

Clean Energy and Pollution Reduction Act of 2015

Four Primary Areas

- 1. Increase the RPS to 50% by 2030
- 2. Transportation electrification
- 3. Double the EE savings in electricity and natural gas by 2030
- 4. Provide for the transformation of the CAISO into a regional organization

50% RPS by 2030

- Current mandate is 33% by 2020
- Sets interim goals of 40% (2021-2024) and 45% (2025-2027)
- DG cannot be counted toward achieving the target

Transportation Electrification

- Defines the utility role more clearly: Charging infrastructure investments and other TE programs by utilities are linked to helping the state achieve its long-term climate and air quality goals
- Broadens the definition of electric vehicles: Includes all forms of TE such as goods movement and transit
- Directs the CPUC to order electric utilities to file applications for TE programs and investments that accelerate widespread transportation electrification.
- Directs the CARB to remove GHG regulatory disincentives to utilities as TE load grows (e.g. provide free GHG allowances)


SB 350 Summary Continued

Clean Energy and Pollution Reduction Act of 2015

Energy Efficiency


- Setting EE Targets
 - CEC to set annual EE targets through 2030 by Nov. 1, 2017
 - Targets are based upon a doubling of the EE mid-case potential estimates (the mid-case is representative of our current EE goals)
 - CPUC establishes EE targets for the IOUs based upon the CEC's targets
 - CEC and CPUC targets must be cost-effective and feasible
- Key EE Policy Changes
 - Directs the CPUC to review and update its policies governing EE programs to facilitate achieving the targets set by the CEC
 - Includes, at a minimum
 - Establishing market transformation and pay for performance programs
 - Counting operational, behavioral, and retro-commissioning savings
 - Basing incentive payment on measured results
 - CPUC can revise the targets and shall also modify, revise, or update its policies as needed to address barriers preventing achievement of those targets

Electrical Training Institute – NZE+ Renovation



Phasing Out Ozone Depleting Refrigerants

The Closed CycleDriving Natural & Alternative Refrigerant Solutions



Atmosphere America January 2016 issue...

With the help of natural refrigerants, the California Air Resources Board plans to roll back emissions of HFCs in the state by 40% of 2013 levels by 2030, setting a standard for the rest of the U.S. and much of the world

—t⊪ Michael Garry



alifornia, the most populate state in the U.S. with more than 34 million people, has the world's eighth la: gest continue. End in part to its reliance on cars, the state emitted more greenhouse gas (1) metric tona) per capito in 2012 than every other leading world comonly except the U.S.

Itself (18 6 motific tens), according to the World Apsources sustitute.

Dut California, known within Golden State, is also among the wild of most argressive economies when it curries to crafting policy to reduce greenhouse gas emissions. In 2006, the state possed its landmark California Global Werming Sclutions Act, AR 37, which calls for greenhouse gas emissions to be out to 1990 sivels by 2020.


STRATEGIES THAT DRIVE ADOPTION

Lab & Field Testing

Engaging Industry

Partnering with Our Customers

Developing Solutions









Low Charge Ammonia

New Alternative Refrigerants

Customer Engagement for Refrigerant Options

Ultra Low Temp Freezer

Self Contained Display Cases

High Efficiency R-22 Refrigerant Replacement

Refrigerated Display Case Work Program Update





Renewable Energy Efficient Farms


for urban communities and rural livestock operations


REEF is a modular and scalable closed-loop operating system designed to efficiently produce healthy fresh and nutritious food for humans and animal feeds for livestock:

- Using renewable energy derived from the sun and biogas fuel from
- Recycling of organic wastes, nutrients and CO₂
- Saving water resources
- Reducing overall environmental footprint and land use impact




Closed-Loop Dairy REEF






LA Metro First-Last Mile...



LA Metro First-Last Mile...new light rail platforms





Contact Information

Paul Delaney
paul.delaney@sce.com
(626) 827-7059 cell

